

BMJ Open Adults' with hearing loss perceived listening ability in daily communication: protocol for a systematic review and qualitative meta-synthesis

Sarah E Hughes ^{1,2}, Isabelle Boisvert,^{3,4} Catherine McMahon,⁴ Anne Steyns,⁵ Katie Neal⁴

To cite: Hughes SE, Boisvert I, McMahon C, *et al.* Adults' with hearing loss perceived listening ability in daily communication: protocol for a systematic review and qualitative meta-synthesis. *BMJ Open* 2022;12:e051183. doi:10.1136/bmjopen-2021-051183

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2021-051183>).

Received 16 August 2021

Accepted 15 February 2022



© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Centre for Patient Reported Outcome Research, University of Birmingham, Birmingham, UK

²Faculty of Medicine, Health and Life Science, Swansea University, Swansea, UK

³School of Health Sciences, The University of Sydney, Sydney, New South Wales, Australia

⁴HEAR Centre, Macquarie University, Sydney, New South Wales, Australia

⁵Consumer and Community Involvement Partner, Sydney, New South Wales, Australia

Correspondence to

Dr Sarah E Hughes;
S.E.Hughes@bham.ac.uk

ABSTRACT

Introduction Understanding how adults with hearing loss perceive their abilities when listening in daily communication situations is vital to understanding the functional listening challenges associated with hearing loss. The aim of this study is to explore how adults with hearing loss describe their own experiences of the processes, behaviours and components of listening in real-world communication through secondary analysis of published qualitative data.

Methods and analysis A systematic review and thematic meta-synthesis of qualitative research studies and qualitative components of mixed-methods studies will be conducted. Studies published in English will be identified through searching Medline, PsychInfo, Web of Science, Embase and Google Scholar databases from inception to November 2021. Handsearching of the included studies' reference lists will be completed. Included articles will be assessed for methodological quality using the Critical Appraisal Skills checklist for qualitative studies. Thematic synthesis will proceed as follows: (1) line-by-line coding to label concepts present in the 'results' or 'findings' section(s) of the included studies; (2) grouping of similar codes into descriptive themes; (3) development of higher level analytic themes to develop a new interpretation of the included studies' findings. The Grading of Recommendations Assessment, Development and Evaluation (GRADE) Confidence in the Evidence from Reviews of QUALitative (CERQUAL) research approach will be used to establish the degree of confidence that may be placed in synthesis findings and results will be reported alongside the synthesis. Two reviewers will independently undertake screening for eligibility, data extraction and quality appraisal, analysis and GRADE-CERQUAL assessments. Discrepancies will be resolved through discussion.

Ethics and dissemination As secondary data analysis of the published literature, ethical approval is not required. The results will be disseminated in peer-reviewed journals, conference presentations and other research and clinical meetings. This protocol is registered with PROSPERO prospective database of systematic review.

PROSPERO registration number CRD42020213389.

INTRODUCTION

Listening is a complex, multidimensional construct core to communicative competency.¹ It has been a focus of inquiry since the mid-20th

Strengths and limitations of this study

- This protocol is based on the Preferred Reporting Items for Systematic Review and Meta-Analysis-Protocols (PRISMA-P) guidelines.
- This review includes an assessment of evidence quality that utilises a Grading of Recommendations Assessment, Development and Evaluation (GRADE) based tool developed specifically for qualitative systematic reviews and syntheses, the GRADE CERQual (Confidence in the Evidence from Reviews of Qualitative Research) approach.
- Patient and public involvement will ensure that findings are relevant to adults with hearing loss and facilitate dissemination to stakeholders.
- A consensus-based approach to analysis will ensure shared accountability for interpretative decisions, enhancing the rigour and trustworthiness of the findings.

century and there is a substantive literature exploring its conceptualisation and measurement from multiple perspectives.² Listening has been explored extensively in an educational context; in second-language acquisition; in organisational, cultural and relational and functional contexts and in specific groups and populations.³⁻⁷ This siloed approach has had implications for how listening has been conceptualised and measured.

In undertaking inquiries into the nature of listening, including its processes and components, qualitative research has played a pivotal role. Qualitative research methodology may be considered critical for understanding the full experience of listening as these methods provide a means of comprehending listening in a holistic yet nuanced way, offering an alternative perspective to more positivist or interpretivist approaches.⁷ For example, grounded theory methodology has been used to explore the relational nature of listening and a hermeneutic perspective

has been applied to develop a model of the listening process that highlights the role of choice.^{6,8} Qualitative methods have also been used to explore how individuals characterise effective listening and to develop conceptual frameworks to support the development of measurement instruments.^{9–12}

Within listening research, communicative competence, of which listening is a key component, has been explored in populations of individuals with communication disorders.^{13,14} However, with the exception of musical listening and listening-related effort and fatigue, few qualitative studies have been found in the audiology literature that explicitly seek to examine the processes of listening for daily communication as reported by adults with hearing loss.^{15–17} Rather, qualitative studies in audiology and hearing research have focused generally on the psychosocial sequelae arising from living with a significant hearing loss. For example, studies in the literature have reported on hearing help seeking, device benefit, social participation and social isolation, stigma and quality of life.^{18–24}

A richer understanding of how adults with hearing loss experience listening for communicative purposes has the potential to benefit both research and clinical practice. For example, insights mined from first-hand accounts could be used to develop understanding of the ways in which people with hearing loss self-monitor and report on their listening abilities. Such insights may help identify those cognitive processes associated with listening that are perceived by the listener, or communication partner or both, thereby supporting the development of a conceptual framework for measurement of functional listening in hearing loss.^{25,26} Accounts of the lived experience of listening could help specify targets for clinical assessment, guide intervention and ensure representation of the client's own perspective in clinical research. To our knowledge, there have been no comprehensive syntheses of how adults with hearing loss describe their perceived listening ability in communicative contexts. The proposed systematic review and meta-synthesis of qualitative research data aims to help address this gap.

METHODS

This protocol was developed using the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) Protocols checklist, the Joanna Briggs Institute guidance for systematic reviews of qualitative evidence,²⁷ and the GRADE-CERQual recommendations.^{27–29} The protocol was registered with PROSPERO International Prospective Register of Systematic Reviews in October 2020 and is available online from <https://www.crd.york.ac.uk/prospero/>. This study will run from September 2020 until February 2022.

Search strategy

A search strategy was developed in Medline (Ovid) using Medical Subject Heading (MeSH) keywords, the National Library of Medicine (NLM) controlled vocabulary

used to describe the subject content of journal articles for MEDLINE, and their synonyms. Search terms were selected based on the reviewers' knowledge of the field and the University of Texas search filter for qualitative studies. The strategy was developed with support from an information specialist (JvB) and reviewed by members of the study team (SEH and KN). Pilot searches confirmed the sensitivity and specificity of the searches. The Medline search was translated and the following additional databases searched from inception to November 2021: PsycInfo (Ovid), Web of Science, Embase (Ovid) and Google Scholar.³⁰ The first 200 records were extracted from Google Scholar.^{30–32} The Medline search strategy will be shared in full in any publications. In addition to electronic database searching, the reference lists and citations of included studies will be hand searched to locate additional articles. The Medline search strategy is presented in online supplemental file 1.

Eligibility criteria

Types of studies

Eligible studies will be English-language, peer-reviewed manuscripts of primary studies that use qualitative or mixed methods (ie, studies must have a qualitative component) to report first-hand accounts of listening and/or communication in hearing loss. Quantitative studies, editorials, opinions and letters will be excluded. No date limit will be applied. Non-English studies will be excluded due to resource limitations.

Types of participants

Eligible studies include those studies whose participants were adults (≥ 18 years of age) with a diagnosis of hearing loss of any severity, any type and any aetiology. Studies reporting on children will be excluded.

Phenomenon of interest

The phenomenon of interest for this review is adults' with hearing loss experiences of listening for communication, including their understanding of the components, processes and strategies used when engaged in listening for a communicative purpose. Studies reporting on the activity and participation limitations of living with hearing loss (including accounts of listening effort and fatigue, emotional and psychosocial consequences) will be excluded.

Context

No limitations on setting, geographic location will be applied. Studies reporting on the experiences of members of Deaf communities who use sign language as their primary mode of communication will be excluded on the basis that listening is not a primary requirement for communication.

Identification and selection of studies

The results of electronic database searching will be uploaded to Endnote (V.9.3, Clarivate Analytics) where duplicate records will be removed. Deduplication will be

repeated in Covidence (www.covidence.org), web-based systematic review software, to ensure all duplicate records are removed before proceeding to title and abstract screening, followed by full-text screening. Two reviewers (KN and SEH) will independently screen all records. Reasons for exclusion will be documented at the full-text screening stage. Discrepancies will be resolved via discussions. If consensus cannot be reached, a third reviewer who is also a member of the study team will be consulted to achieve a consensus-based decision on whether the record should be retained or excluded. The results of screening will be recorded in a PRISMA flowchart.

Assessment of methodological quality of included studies

The Critical Appraisal Skills Programme (CASP) checklist for qualitative research will be used to assess the methodological quality of the included studies.³³ To aid the summation of results, the results for each question for each of the included studies will be presented in tabular form. Two reviewers will independently appraise the methodological quality for all of the included studies. Differences will be resolved through discussion, involving a third reviewer if needed to reach agreement. Percentage agreement, Cohen's kappa (κ), as a measure of agreement adjusted for chance, and an intraclass correlation coefficient will be calculated to establish inter-rater agreement and reliability.^{34 35}

Data extraction

Information relating to the study design of each included article will be extracted using Covidence and presented in tabular format. Data extracted will include author, year of publication, study aims and objectives, population, setting, country, phenomena of interest, methodological approach, methods of data collection (eg, semi-structured interviews, focus groups) and all text included in the findings/results sections of the included articles.

Data synthesis

The synthesis will be conducted according to principles of thematic synthesis and an epistemological orientation consistent with constructivism.^{36 37} Thematic synthesis, as a form of meta-synthesis, seeks to integrate the findings from primary qualitative studies to generate new interpretations, explanations or hypotheses consistent with the focus of the review. Thematic synthesis has its origins in thematic analysis, meta-ethnography and draws on principles and practices commonly used in grounded theory (eg, axial coding, constant comparative method).^{36–39} Its selection as the preferred method of analysis for this review relates to its use of inductive coding and the method's capability to synthesise findings to produce new interpretations and explanations.

The included studies will be uploaded to NVivo (V.1.3), qualitative data analysis software, for analysis of the study findings. Consistent with Thomas and Harden's description of the method, all the text labelled as 'results' or 'findings', including supplementary material, will be

analysed.³⁷ The findings from each study will be read multiple times to immerse the reviewer in the accounts before undertaking thematic synthesis. Thematic synthesis involves three stages of analysis. First, coding will proceed line-by-line to label concepts presented in the findings. Line-by-line coding enables the translation of concepts across the included studies, one of the key functions of thematic synthesis. The initial codes will be compared across studies to explore patterns in the data. Similar codes will be grouped into descriptive themes within a hierarchical framework. Finally, higher level analytic themes will be developed from the descriptive themes. The purpose of this phase is to develop a new interpretation or explanation of the included studies' findings. 'Going beyond' the content of the original studies may be considered a central characteristic of thematic synthesis as it allows the reviewers to explore the data in relation to the review question.³⁷ The descriptive themes from all of the included studies will be explored and woven together as analytic themes, presenting a rich description of the phenomenon on interest. Where possible, stratification of findings according to degree of hearing loss and participant age and gender will be undertaken. The analytic themes will be presented as a series of findings and will be supported by narrative accounts, quotes, tables and data visualisations. To enhance rigour, line-by-line coding will be undertaken by one reviewer and codes checked by a second reviewer. Disparities or discrepancies in coding will be resolved through discussion. A consensus-based approach will then be used to develop the descriptive and analytical themes. Coding and analytical memos will be used to document coding decisions, including a rationale, and reflexive memos will be written independently by each reviewer to document their engagement with analytical process.

Assessment of confidence in the evidence

The Confidence in the Evidence from Reviews of Qualitative research (GRADE-CERQual) approach will be used to establish the degree of confidence that may be placed in the findings from this systematic review and qualitative synthesis.²⁹ The GRADE-CERQual approach aims to assess the confidence in individual review findings through appraisal of the methodological limitations of the included studies, coherence (ie, the fit between primary data and the review finding), the adequacy of the data and relevance (ie, the extent to which data from primary studies supporting a review finding are applicable to the context specified in the review question). Each theme will be assessed using the CERQual approach and any concerns with methods, coherence adequacy, or relevance will be documented.^{40–43} An overall level of confidence, ranging from high, moderate, low or very low, will be assigned per theme. Assessment results will be presented, including an explanation of the confidence rating, in a summary of qualitative findings table.⁴⁴

The GRADE-CERQual approach was selected as the preferred method to establish the quality of the evidence

due to its specific focus on qualitative research, its consideration of multiple interdependent components when assessing confidence of the evidence and its congruence with other, well-established GRADE approaches used frequently to appraise the quality of evidence reported in systematic reviews in hearing science.^{45–47}

Patient and public involvement

A consumer/community partner (AS) who is a member of the review team will review and provide critical feedback on the findings at each stage of the review. They will be involved in developing a dissemination strategy for the review findings, including the coproduction of a lay summary, which will be shared with adults with hearing loss via multiple media. Consumer and community involvement in the review will be documented using the Guidance for Reporting Involvement of Patients and the Public -2 (GRIPP-2) checklist.⁴⁸

Ethics and dissemination

External ethical approval is not required as this review is a retrospective review, which is undertaking secondary analysis of publicly available primary data. The review findings will be disseminated via publication in a peer-reviewed manuscript, conference symposia and conference presentations. A dissemination strategy to ensure that the review findings reach relevant stakeholders will be coproduced.

DISCUSSION

This synthesis will establish what is known about the components and processes of listening for communication as they are experienced and understood by adults with hearing loss.

Significance and impact of this review

In the published literature, qualitative inquiry in hearing science has focused mainly on the social, cultural, psychological and emotional impacts of hearing loss.⁴⁹ Few qualitative studies have explored the attributes and behaviours of listening as experienced and reported by individuals with hearing loss. This review represents a novel approach to the study of listening in hearing loss. As a thematic synthesis and interpretation of primary studies, this study will contribute findings that add breadth and depth to current conceptualisations of listening and communication processes when a hearing loss is present.

Twitter Sarah E Hughes @SarahHughesSLT

Acknowledgements We acknowledge the help and support of Jane Van Balen, Information Specialist, Macquarie University.

Contributors KN, SEH, IB, CM conceived the idea for the study. SEH, KN were responsible for the study design. KN, SEH and IB developed the search strategy. SEH and KN developed the methods. SEH drafted the protocol manuscript with input from KN, IB, CM. Consumer and community partner AS reviewed this protocol. All authors (SEH, KN, IB, CM, AS) provided critical revisions and approved the final manuscript. The corresponding author guarantees the paper, and that the authorship statement is correct.

Funding The research was funded by Cochlear Limited (Funder Reference: Functional Listening for Communication Project (FLCP))

Competing interests SEH receives fees from the National Institute of Health Research (NIHR) Applied Research Collaboration (ARC) West Midlands and UK Research and Innovation (UKRI) and declares personal fees from Aparito Limited outside the submitted work. KN, AS, IB and CM have no competing interests to declare.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iD

Sarah E Hughes <http://orcid.org/0000-0001-5656-1198>

REFERENCES

- 1 Worthington D, Bodie G. *Defining listening: a historical, theoretical, and pragmatic assessment in the sourcebook of listening: methodology and measures*. Wiley, 2017.
- 2 Wolvin AD. Listening Engagement: Intersecting Theoretical Perspectives. In: *Listening and communication in the 21st century*. Wiley, 2010: 7–30.
- 3 Wolvin AD. Listening in the general education curriculum. *Int J List* 2012;26:122–8.
- 4 Bozorgian H. Listening skill requires a further look into second/foreign language learning. *Int Sch Res Notices* 2012;2012:1–10.
- 5 Burnside J. *Community engagement in the public sphere: a comparison of 'participatory communication' and 'listening' models as methods for evaluating symmetrical communication between organisations and their stakeholders*, 2008.
- 6 Halone KK, Pecchioni LL. Relational listening: a grounded theoretical model. *Commun Rep* 2001;14:59–71.
- 7 Purdy MW. Qualitative Research: Critical for Understanding Listening. In: *Listening and human communication in the 21st century*. Wiley, 2010: 33–45.
- 8 Stoltz MM. *Towards a Hermeneutical understanding of the listening process*, 2008.
- 9 Bodie GD, St. Cyr K, Pence M, et al. Listening competence in initial interactions I: distinguishing between what listening is and what listeners do. *Int J List* 2012;26:1–28.
- 10 Witkin BR, Trochim WWK. Toward a synthesis of listening constructs: a concept MAP analysis. *Int J List* 1997;11:69–87.
- 11 Halone KK, Cunconan TM, Coakley CG, et al. Toward the establishment of general dimensions underlying the listening process. *Int J List* 1998;12:12–28.
- 12 Coakley CG, Halone KK, Wolvin AD. Perceptions of listening ability across the life-span: implications for understanding listening competence. *Int J List* 1996;10:21–48.
- 13 MacDonald S. Introducing the model of cognitive-communication competence: a model to guide evidence-based communication interventions after brain injury. *Brain Inj* 2017;31:1760–80.
- 14 Doedens WJ, Meteyard L. Measures of functional, real-world communication for aphasia: a critical review. *Aphasiology* 2020;34:492–514.
- 15 Holman JA, Drummond A, Hughes SE, et al. Hearing impairment and daily-life fatigue: a qualitative study. *Int J Audiol* 2019;58:408–16.
- 16 Hughes SE, Hutchings HA, Rapport FL, et al. Social connectedness and perceived listening effort in adult cochlear implant users: a Grounded theory to establish content validity for a new patient-reported outcome measure. *Ear Hear* 2018;39:922–34.

- 17 Gfeller K, Driscoll V, Schwalje A. Adult cochlear implant recipients' perspectives on experiences with music in everyday life: a multifaceted and dynamic phenomenon. *Front Neurosci* 2019;13:1229.
- 18 Laplante-Lévesque A, Knudsen LV, Preminger JE, et al. Hearing help-seeking and rehabilitation: perspectives of adults with hearing impairment. *Int J Audiol* 2012;51:93–102.
- 19 Carson AJ. "What brings you here today?" The role of self-assessment in help-seeking for age-related hearing loss. *J Aging Stud* 2005;19:185–200.
- 20 Ekberg K, Schuetz S, Timmer B, et al. Identifying barriers and facilitators to implementing family-centred care in adult audiology practices: a COM-B interview study exploring staff perspectives. *Int J Audiol* 2020;59:464–74.
- 21 Hogan A, Reynolds KJ, O'Brien Léan. Towards a social psychology of living with acquired hearing loss. *Perspectives on Aural Rehabilitation and Its Instrumentation* 2011;18:13–22.
- 22 Bierbaum M, McMahon CM, Hughes S, et al. Barriers and facilitators to cochlear implant uptake in Australia and the United Kingdom. *Ear Hear* 2020;41:374–85.
- 23 Rapport F, Hughes SE, Boisvert I, et al. Adults' cochlear implant journeys through care: a qualitative study. *BMC Health Serv Res* 2020;20.
- 24 Heffernan E, Coulson NS, Ferguson MA. Development of the social participation restrictions questionnaire (SPaRQ) through consultation with adults with hearing loss, researchers, and clinicians: a content evaluation study. *Int J Audiol* 2018;57:791–9.
- 25 Fontana PC, Cohen SD, Wolvin AD. Understanding listening competency: a systematic review of research scales. *Int J List* 2015;29:148–76.
- 26 Worthington DL. Modeling and measuring cognitive components of listening. In: *The Sourcebook of listening research: methodology and measures*. Wiley, 2017: 70–96.
- 27 Lockwood C, Porritt K, Munn Z. Systematic reviews of qualitative evidence. In: *Joanna Briggs Institute reviewer's manual*, 2020.
- 28 Moher D, Shamseer L, Clarke M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev* 2015;4:1–9.
- 29 Lewin S, Booth A, Glenton C, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings: introduction to the series. *Implement Sci* 2018;13:2.
- 30 Bramer WM, Rethlefsen ML, Kleijnen J, et al. Optimal database combinations for literature searches in systematic reviews: a prospective exploratory study. *Syst Rev* 2017;6:245.
- 31 Martin-Martin A, Orduna-Malea E, Harzing A-W, et al. Can we use Google Scholar to identify highly-cited documents? *J Informetr* 2017;11:152–63.
- 32 Peralta-Pizza F, Pinzón DC, Gaitán HG, et al. Google Scholar to identify research studies. *Cochrane Database Syst Rev* 2019;6.
- 33 Critical skills appraisal programme. critical skills appraisal programme checklist for qualitative studies. Available: <https://casp-uk.net/wp-content/uploads/2018/01/CASP-Qualitative-Checklist-2018.pdf> [Accessed 1 Mar 2021].
- 34 Cohen J. A coefficient of agreement for nominal scales. *Educ Psychol Meas* 1960;20:37–46.
- 35 Shrout PE, Fleiss JL. Intraclass correlations: uses in assessing rater reliability. *Psychol Bull* 1979;86:420–8.
- 36 Charmaz K. *Constructing Grounded theory*. Sage, 2014.
- 37 Thomas J, Harden A. Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Med Res Methodol* 2008;8:45.
- 38 Glaser BG, Strauss AL. *The discovery of Grounded theory: strategies for qualitative research*. Routledge, 1967.
- 39 Strauss A, Corbin J. *Basics of qualitative research: Grounded theory procedures and techniques*. Sage, 1990.
- 40 Colvin CJ, Garside R, Wainwright M. Applying GRADE-CERQual to qualitative evidence synthesis findings—paper 4: how to assess coherence. *Implement Sci* 2018;13:13.
- 41 Glenton C, Carlsen B, Lewin S, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings—paper 5: how to assess adequacy of data. *Implementation Sci* 2018;13:14.
- 42 Munthe-Kaas H, Bohren MA, Glenton C, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings—paper 3: how to assess methodological limitations. *Implementation Sci* 2018;13:9.
- 43 Noyes J, Booth A, Lewin S, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings—paper 6: how to assess relevance of the data. *Implementation Sci* 2018;13:4.
- 44 Lewin S, Bohren M, Rashidian A, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings—paper 2: how to make an overall CERQual assessment of confidence and create a summary of qualitative findings table. *Implementation Sci* 2018;13:10.
- 45 Henshaw H, Ferguson MA. Efficacy of individual computer-based auditory training for people with hearing loss: a systematic review of the evidence. *PLoS One* 2013;8:e62836.
- 46 Barker F, Mackenzie E, Elliott L, et al. Interventions to improve hearing aid use in adult auditory rehabilitation. *Cochrane Database Syst Rev* 2016;13.
- 47 Vos B, Noll D, Pigeon M, et al. Risk factors for hearing loss in children: a systematic literature review and meta-analysis protocol. *Syst Rev* 2019;8:172.
- 48 Staniszewska S, Brett J, Simera I, et al. GRIPP2 reporting checklists: tools to improve reporting of patient and public involvement in research. *BMJ* 2017;358:j3453.
- 49 Rapport F, Hughes SE. Frameworks for change in hearing research: Valuing qualitative methods in the real world. *Ear Hear* 2020;41 Suppl 1:91S–8.